BUILDING PERFORMANCE

CLASS 1

Building Product Information Sheet

Product name:				
Kinetic Brass Threaded Fittings				
Product description and its intended use:				
	Fittings include a wide range of brass DZR plur approved where required.	mbing fittings, in a	a variety of sizes and combinations.	
Product identifier (if ap	pplicable):			
Kinetic Brass Threaded Fittings				
(This could be a Global Trade Item Number (GTIN) or quick response code (QR code), or any other distinguishable part/model number or identifier.)				
Place of manufacture: 📃 Aotearoa New Zealand 🖌 Overseas				
Legal and trading name of	of the manufacturer(s):			
Kinetic Sourcing Group Pty Ltd				
Address for service:				
Level TREET NAME 15/3 BC	ox Road,	SUBURB	Caringbah	
CITY, COUNTRY Sydney,	Australia	POSTCODE	2229	
Website:	www.kineticsourcing.com.au			
Email address:	sales@kineticsourcing.com.au			
Phone no. (if applicable):				
NZBN (if applicable):				



Legal and trading name of the importer (if applicable):

ACM (NZ) Pty Limited

Address for service:				
STREET NAME 47	Stonedon	SUBURB East Tamaki		
Drive				
CITY, COUNTRY Auckland	New Zealand	POSTCODE 2013		
Website:	www.acmhardware.com			
Email address:	info@acmhardware.com			
Phone no. (if applicable):	+64 9 320 4515			
NZBN (if applicable):	9429030191990			

Relevant Building Code

B2.3.1(a) F2.3.1 G12.2

Statement on how the building product is expected to contribute to compliance:

Durability B2.3.1(a)

Kinetic Brass range has a design life of over 50 years when installed in accordance with the relevant installation standards which meets requirements B2.3.1(a)

Hazardous Building Materials F2.3.1

Kinetic Brass range does not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space as per requirement F2.3.1

Water Supplies G12.2

Kinetic Brass range meets the requirements of AS/NZS 4020 potable water standards and has components that wouldn't contaminate the water as per requirement G12.2.1. and is durable and fit for purpose as per requirement G12.2.2 and G12/VM1

• options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)

• standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured.

• physical properties of the building product

• how the building product is intended to be used.

Limitations on the use of the building product:

As defined in the scope of the installation standards G12 and AS/NZS 3500

https://www.bunnings.co.nz/search/products?page=1&q=kinetic+brass+fittings&sort=BoostOrder

Design requirements that would support the appropriate use of the building product:

Manufactured in accordance with AS 3688 and DZR AS 2345 and meets the requirements of AS/NZS 4020 materials in contact with potable water.

https://www.bunnings.co.nz/search/products?page=1&q=kinetic+brass+fittings&sort=BoostOrder

Installation requirements (also provide link to the product installation guide):

Must be installed by licensed installers and in accordance with AS/NZS3500. https://www.bunnings.co.nz/search/products?page=1&q=kinetic+brass+fittings&sort=BoostOrder

Maintenance requirements (also provide link to the product maintenance guide):

None required after installation.

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?:

Yes 🖌 No

If yes, description of the warning or ban under section 26:

Date: 11/12/23