

CLASS 1

Building Product Information Sheet

Product name:				
Kinetic Flexible Hose W	ater Connectors			
Product description a	nd its intended use:			
various lengths to suit r		p. The Kinetic Flexible Hos	e W	n PEX inner tube for connecting a 15mm have /ater Connectors range is manufactured in ntact with potable water.
Product identifier (if ap	pplicable):			
Kinetic Flexible Hose W	ater Connectors			
Place of manufacture:	Aotearoa New Zealand of the manufacturer(s):	Overseas		
Kinetic Sourcing Group	Pty Ltd			
Address for service:				
Level TREET NAME 15/3 BO	x Road,	SUBU	RB	Caringbah
CITY, COUNTRY Sydney,	Australia	POST	CODE	2229
Website:	www.kineticsourcing.com.au			
Email address:	sales@kineticsourcing.com.au			
Phone no. (if applicable):				
NZBN (if applicable):				



Legal and trading name of the importer (if applicable):

ACM (NZ) Pty Limited

Address for service:

STREET NAME	47 Stonedon	SUBURB East Tamaki
	Drive	

	Drive
CITY, COUNTRY Auckland	New Zealand POSTCODE 2013
Website:	www.acmhardware.com
Email address:	info@acmhardware.com
Phone no. (if applicable):	+64 9 320 4515
NZBN (if applicable):	9429030191990

Relevant Building Code

Statement on how the building product is expected to contribute to compliance:

Durability B2.3.1(c)(i)

Kinetic Flexible Hose Water Connectors warranty is valid when installed in accordance with the relevant installation standards.

Hazardous Building Materials F2.3.1

Kinetic Flexible Hose Water Connectors range does not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space as per requirement.

Water Supplies G12.2

Kinetic Flexible Hose Water Connectors range meets the requirements of AS/NZS 4020 potable water standards and has components that wouldn't contaminate the water as per requirement G12.2.1. and is durable and fit for purpose.

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured.
- physical properties of the building product
- how the building product is intended to be used.

Limitations on the use of the building product:

Suits both hot and cold water

Operating temperature +90 / 0 degrees C

Watermark certification

https://www.bunnings.co.nz/search/products?page=1&g=kinetic+water+connectors&sort=BoostOrder

Design requirements that would support the appropriate use of the building product:
.The Kinetic Flexible Hose Water Connectors range is manufactured in accordance with AS 3499 and meets the requirements of AS/NZS 4020 materials in contact with potable water.
https://www.bunnings.co.nz/search/products?page=1&q=kinetic+water+connectors&sort=BoostOrder
Installation requirements (also provide link to the product installation guide):
Must be installed by a registered plumber and in accordance with AS/NZS3500.
https://www.bunnings.co.nz/search/products?page=1&q=kinetic+water+connectors&sort=BoostOrder
Maintenance requirements (also provide link to the product maintenance guide):
https://www.bunnings.co.nz/search/products?page=1&q=kinetic+water+connectors&sort=BoostOrder
Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?:
Yes V No
If yes, description of the warning or ban under section 26:

Date: 11/12/23