

CLASS 1

Building Product Information Sheet

Product name:

Kinetic Stormwater Downpipe

Product description and its intended use:

The Kinetic Stormwater pipe range is available in various sizes and lengths. The Stormwater pipe is made from PVC-U material and is the perfect product for Stormwater applications, Conforms to AS/NZS 1254 and ISO Type 5 Certification AMI 74757

Product identifier *(if applicable):*

Kinetic Stormwater Downpipe

(This could be a Global Trade Item Number (GTIN) or quick response code (QR code), or any other distinguishable part/model number or identifier.)

Place of manufacture: Aotearoa New Zealand Overseas

Legal and trading name of the manufacturer(s):

Kinetic Sourcing Group Pty Ltd

Address for service:

Level TREET NAME 15/3 Box Road, SUBURB Caringbah

CITY, COUNTRY Sydney, Australia POSTCODE 2229

Website:

www.kineticsourcing.com.au

Email address:

sales@kineticsourcing.com.au

Phone no. *(if applicable):*

NZBN *(if applicable):*



Legal and trading name of the importer (if applicable):

ACM (NZ) Pty Limited

Address for service:

STREET NAME 47 SUBURB East Tamaki
Stonedon Drive

CITY, COUNTRY Auckland New Zealand POSTCODE 2013

Website:

www.acmhardware.com

Email address:

info@acmhardware.com

Phone no. (if applicable):

+64 9 320 4515

NZBN (if applicable):

9429030191990

Relevant Building Code

B2.3.1 (a)
F2.3.1
G13.1.1
G13.3.2

Statement on how the building product is expected to contribute to compliance:

B2 Durability

Kinetic Stormwater Pipes meet the requirements of B2.3.1 (a) not less, than 50 years, (b) not less than 15 years and (c) not less than 5 years.

F2 Hazardous Building Materials

This product is constructed of materials that will not emit harmful concentrations of substances from exposed surfaces.

G13 Foul water

G13/AS1/AS2 - G13/VM1/VM2: The above products comply with this standard when installed to AS/NZS3500 Plumbing Regulations

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured.
- physical properties of the building product
- how the building product is intended to be used.

Limitations on the use of the building product:

AS/NZS 1254 and ISO Type 5 Certification AMI 74757

Design requirements that would support the appropriate use of the building product:

<https://www.bunnings.co.nz/search/products?page=1&q=kinetic+pipe&sort=BoostOrder>

Installation requirements (also provide link to the product installation guide):

Must be installed by a registered plumber and in accordance with AS/NZS3500.

<https://www.bunnings.co.nz/search/products?page=1&q=kinetic+pipe&sort=BoostOrder>

Maintenance requirements (also provide link to the product maintenance guide):

<https://www.bunnings.co.nz/search/products?page=1&q=kinetic+pipe&sort=BoostOrder>

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?:

Yes No

If yes, description of the warning or ban under section 26:

Date: 11/12/23